

or hi-tech commercial kitchens

CONSULTING • DESIGNING • MANUFACTURING • SERVICE
An ISO 9001:2015 Certified Company



#### WELCOME TO THE WORLD OF ADVANCED FOOD MACHINES

Now cooking can be Tasty, Fun and Healthy too!





#### Dear Customers,

We **GLOBAL KITCHEN EQUIPMENTS COMPANY** are the reputed organizations involved in consulting, Designing, Manufacturing & Service of hi-tech commercial kitchen Machineries, equipments & Food processing Machines.

Our products widely Exported to UK, CANADA, EUROPE, SINGAPORE & UAE our product grade would be available to you all the time and accessing Our information and communicating with us would be better facilitated. We are ever ready to serve you the way you want.

Any opportunity to discuss your requirements, end application, so as to provide you with the appropriate material, in more than welcome to our end.

We look forward to an everlasting relationship with you and rededicate our commitment towards quality service and customer support. We are sure that together would be able to provide for a better kitchen machines & equipments and food processing machines.

Best Regards,
Rajavel .B
Managing Director

Email: info@kitchenequipment.in

Website: www.globalkitchen.in www.globalkitchenindia.com

# Scan QR Code for Product Video

Its used to cook all types of veg and non veg gravy.

Save labour upto 50%, Reduce cooking time, Save fuel upto 30%,

Easy to handle for bulk quantity, proper stirrering of food will give
good taste and consistancy, Low production cost, Semi skilled
labour enough, all types of cooking can be done.

Model No	Fuel Option	Capacity in Ltrs	Power	Voltage	Dimension (LxBxH)
GCMM 100	Gas/Induction/ Steam/Thermic	100	1HP	220V / 430V	49"x48"58"
GCMM 200	Gas/Induction/ Steam/Thermic	200	2HP	220V / 430V	69"x58"x68"
GCMM 300	Gas/Induction/ Steam/Thermic	300	2HP	220V / 430V	71"x62"x70"
GCMM 400	Gas/Induction/ Steam/Thermic	400	3HP	430V	75"x65"x70"

#### **Automatic Cooking Mixer**



Its used to cook all types of veg and non veg gravy.

Save labour upto 50%, Reduce cooking time, Save fuel upto 30%,
Easy to handle for bulk quantity, proper stirrering of food will give
good taste and consistancy, Low production cost, Semi skilled
labour enough, all types of cooking can be done.

Model No	Fuel Option	Capacity in Ltrs	Power	Voltage	Dimension (LxBxH)
GCMM 500	Gas/Induction/ Steam/Thermic	500	5HP	430V	82"x80"x84"
GCMM 600	Gas/Induction/ Steam/Thermic	600	7.5HP	430V	85"x86"x80"
GCMM 700	Gas/Induction/ Steam/Thermic	700	7.5HP	430V	102"x92"x74

#### **Culino Combi Kettle**





Many dishes can be cooked from start to the finish in one unit, without any food transfer. Mixing assists heat transfer and food is cooked faster and more evenly. Unique mixing features enable, for example, crushing of minced meat and mashing of potatoes for purees. USAGE: its used to cook rice, Mixed variety rice, Dhall, Soup, Smashed Potato, Pongal, Kitchadi, etc

Model No	Fuel Option	Capacity in Ltrs	Power	Voltage	Dimension (LxBxH)
GCC200	Gas/Induction/ Steam/Thermic	200	2HP	220V 430V	60"x45"x53"
GCC300	Gas/Induction/ Steam/Thermic	300	2HP	220V 430V	65"x49"x57"
GCC400	Gas/Induction/ Steam/Thermic	400	3НР	430V	70"x52"x60"
GCC500	Gas/Induction/ Steam/Thermic	500	5HP	430V	77"x57"x67"
GCC600	Gas/Induction/ Steam/Thermic	600	5HP	220V 430V	82"x63"x74"

#### **Multipurpose Sweet Making Machine**





it Is useful for baking all types of halwa like munghalwa, Karachi halwa, tirunelveli halwa, Bombay halwa, ice halwa, besan, atta, all types of burfi's, mysorepak, mohanthal, kajukatli, Jelly, Slurry, Dalpinni, Dodhabarfi, khoa, Mava making etc.

Model No	Fuel Option	Capacity	Power	Voltage	Dimension (LxBxH)
GKSM 200	Gas/Induction/ Steam/Thermic	40-60kg/ Batch	2HP	220V 430V	60"x45"x53"

#### **Tilting Braising Pan**



Bratt pans are typically used in mass catering establishments such as schools, hospitals or large staff canteens for producing large volumes of food.

Model No	Fuel Option	Capacity in Ltrs	Dimension (LxBxH)
GTBP100	Gas/Induction/ Steam/Thermic	100	47"x37"x32"
GTBP150	Gas/Induction/ Steam/Thermic	150	60"x37"x32"
GTBP200	Gas/Induction/ Steam/Thermic	200	73"x37"x32"
GTBP300	Gas/Induction/ Steam/Thermic	300	"90"x 41" x 32"

#### Halwa Machine



GK Halwa / Khova making machine is basic machine suitable for manufacturing of sweets such as basic halwa, Mysorepak, Khoya etc., with fixed arm and the drum rotating. This machine play a vital role in small scale sweet making industries

Model No	Fuel Option	Capacity	Power	Voltage	Dimension (LxBxH)
GKHM 20	Gas	20 kg	1HP	220V	54"x30"x58"
GKHM 40	Gas	40 kg	1.5HP	220V	71"x32"x59"

#### **Tray Steamer**

Scan QR Code for Product Video







Tray Steamer can be used for steaming rice, idly, vegetables, egg, meat momos etc.. Efficacious performance + Full stainless-steel construction

- + Full stainless-steel construction
- + Leak-proof and low water consumption. High-quality insulation
- + High-temperature resistance + Eco-friendy product with a
   50% energy saver. + Makes cooking easier and enable less time consumption + Neat look and low space requires.

Model No	Fuel Option	Capacity	Power	Voltage	Dimension (LxBxH)
GKTS4	Gas/Electric	4 Tray	6 KW	380V	27"x26"x46"
GKTS8	Gas/Electric	8 Tray	9KW	380V	27"x26"x46"
GKTS12	Gas/Electric	12 Tray	12 KW	380V	29"x26"x60"
GKTS24	Gas/Electric	24 Tray	24KW	380V	56"x26"x60"

#### **Cutter Mixie**

Scan QR Code for Product Video







Cutter Mixie Suitable for wet grinding of Chutneys, Spices, Ginger & Garlic Paste, Tomato Puree, Palak etc.,

It can also be used to grind spices or dry materials to coarse stage The machine can be tilted for easy discharge

High Speed Motor for find Grinding. Full Stainless-steel Construction. High quantity output in less time (i.e., 30-60 seconds per batch) Very easy to install. Ideal for usage in all Kitchens.

Model No	Capacity in kgs	Power	Voltage	Dimension (LxBxH)
GKCM1	1	2HP	240V	19" x 19" x 36"
GKCM2	2	3НР	430V	19" x 19" x 36"
GKCM5	5	5HP	430V	60" x 31" x 51"

**Multi Purpose Conveyor Belt Vegetable Cutting Machine(CVGK - 2000)** 

Scan QR Code for







#### **Multi Purpose Conveyor Belt** Vegetable Cutting Machine(CVGK - 1000)

Scan QR Code for Product Video





This machine can be used for cutting Leafy Vegetables like Spinach, Fenugreek, Coriander, Mint, Cabbage etc.. into smaller pieces of Size 1mm - 60mm, by adjusting the Speed of the Belt & Conveyor.

- + The Machine shall be used to cut the vegetables into the following shapes: Slicing, Dicing, finger fries etc.,
- + Advanced technology, easy to operate, energy saving, beautiful appearance, meeting the hygiene standard.
- + Green vegetables and salads shall be cut quickly and effectively.

SLICER

DICER

JULIENNE







Model No	Capacity	Power	Voltage	Dimension (LxBxH)
CVGK 2000	2000kg/hr	2.5 HP	220V 430V	57"x30"x56"
CVGK 1000	1000kg/hr	2HP	220V 430V	54"x28"x58"
GKOC	Up to 500 kg/hr	1 HP	220V 430V	48"x28"x58"

### Vegetable Cutting Machine (VGK 750)

Scan OR Code for Product Video





#### **Vegetable Cutting Machine** (HVGK 500)

Scan OR Code for Product Video





Scan OR Code for

Product Video



+ The Machine shall be used to cut the vegetables into the following shapes: Slicing, Dicing, finger fries etc.,

SLICER

DICER



				Dimension (LxBxH)
VGK750	750 kg/hr	1.5HP	220V 430V	24" x 33" x 25"

The Machine shall be used to cut the vegetables into the following shapes: slicing, Dicing, finger fries, Grater, Chips cutter etc.'











Model No	Capacity	Power	Voltage	Dimension (LxBxH)
VGK150	150 kg/hr	0.5HP	220V	22" x 15" x 24"
HVGK500	500 kg/hr	2HP	220V 430V	32" x 28" x 63"

#### Vegetable / Fruit Washing Machine





- → Suitable for various root vegetables and fruits cleaning.
- + Made of complete stainless steel and engineering plastic.
- + High production capacity.
- + Top-water spraying and unidirectional rotary systems.
- + peeling rollers are easy mountain / de-mounting.

Model No	Capacity	Power	Voltage	Dimension (LxBxH)
GKVW	30-60 kg/Batch	0.5HP	430V	65" x 40" x 54"
GKVWM	20-30 kg/Batch	0.5HP	430V	61" x 33" x 40"

#### **Brush With Emery Veg Peeler**





Brush With Emery Peeler is suitable for wet peeling of Pototo, Ginger, Turmeric, Tapioca, Onion etc., It is made of food - grade 304 stainless steel.

- + It has 6 pcs roller brushes.
- + It is equipped with durable wheels for easy moving

Model No	Capacity	Power	Voltage	Dimension (LxBxH)
GKBP	Upto 250 kg/hr	2HP	430V	65" x 40" x 54"
GKBE	Upto 250 kg/hr	2HP	430V	61" x 33" x 40"

#### **Onion and Garlic Peeler**







Onion & Garlic Peeler is used to Peel Big Onion , Small Onion and Garlic through dry Peeling with the use of compressed air

- → Bulk quantity at short time → Hygienic Operation
- ◆ PLC Control ◆ Full Stainless steel Construction
- ★ Easy to operate ★ Long shelf life of peeled materials
- → Hopper setup for feeding → Timer and buzzer system

				Dimension (LxBxH)
GKOG	Upto 150 kg/hr	15HP	430V	41" x 37" x 59"

#### **Vegetable Dicing Machine**





The vegetable dicing machine is specialized in cutting vegetables and fruits into dices and stripes. The dicing machine has a variety of multi sized slicing and dicing plates changed for different size of dice and stripes Capacity: 500-1500 kg/hour Dice & stripe size: 5, 10, 15, 20mm.

Model No	Capacity	Power	Voltage	Dimension (LxBxH)
VDM	1000 kg/hr	2HP	220V 430V	40" x 29" x 57"

#### **Bowl Chopper**

Scan QR Code for Product Video







GK bowl chopper is also known as buffalo chopper or food cutter is a machine that chops or emulsifies food by rotating it in a bowl under spinning blades. Because buffalo chopper's bowls are shallow, they help to promote even cutting and prevent your ingredients from piling up during rotation. It is suitable for commercial Kitchens, Restaurants, Schools / colleges / institutions, Hotels and defense services kitchens.

- **→** Easy to install and operate
- → Fully Stainless steel body.
- → It has the characters of sharp curvilinear blades,
- → Compact design, easy to maintain and clean.
- → Driven by gear box, low noise and longer life.

Model No	Capacity	Power	Voltage	Dimension (LxBxH)
GKBC	Upto 250 kg/hr	2HP	220V 430V	33" x 33" x 39"

#### Banana Chips Cutting Machine

Scan QR Code for Product Video







The Machine shall be used to cut the Bananas for chips making Advanced Technology, easy to operate, energy saving, beautiful appearance, meeting the hygiene standard. The plantain slicing machine is wholly made of stainless steel, very durable in use.

The slicing thickness can be adjusted by increasing or decreasing the spacers.

Model No	Capacity	Power	Voltage	Dimension (LxBxH)
GKBS	Upto 120 kg/hr	0.5HP 1/3 HP	220V	24" x 25" x 28"

#### Planetary Mixer

Scan QR Code for Product Video







Model No	Capacity in Ltrs	Power	Voltage	Dimension (LxBxH)
GPM5	5	0.3kw	220V	15" x 9" x 16"
GPM7	7	0.35kw	220V	16" x 10" x 17"
GPM10	10	0.45kw	220V	18" x 14" x 24"
GPM20	20	0.75kw	220V	21" x 18" x 34"
GPM30	30	1.1kw	220V	24" x 20" x 41"
GPM40	40	1.5kw	430V	25" x 22" x 41"

#### **Spiral Mixer**

Scan QR Code for Product Video







- ★ Stainless steel Bowl Mixing arm
- ★ Safety guard ★ Mixing Time 8.00 to 10.00 minutes
- → Dual speed Motors → Automatic options
- → Imported Gear Box are Bowl Rotations
- ★ Forward Rewards Options

Model No	Capacity in Ltrs	Power	Voltage	Dimension (LxBxH)
GSM 20	20	1.1kw	220V 430V	26" x 16" x 32"
GSM 30	30	2kw	220V 430V	29" x 17" x 34"
GSM 40	40	2.8kw	220V 430V	30" x 19" x 41"
GSM 50	50	2.8kw	220V 430V	31" x 20" x 41"
GSM 60	60	2.8kw	430V	34" x 21" x 44"
GSM 80	80	2.8kw	430V	36" x 23" x 44"

#### **Induction Frying Pan**





<ul> <li>Multi stage power control by gear knob sw</li> </ul>		r knob swi	gear l	ol bv	conti	power	stage	Multi	
---	--	------------	--------	-------	-------	-------	-------	-------	--

- · SS 304 water proof construction
- · Deep drawing pan ·Available in various capacity
- · 60% more energy efficient compare with gas fuel.

Model No	Overall Dimensions LxWxH MM	Bowl Diameter Depth inMM	Power in KW	Voltage	Capacity in Ltrs
GIP-10	750*850*(800+400)	500/150	3.5	220V	10
GIP-35	1000*1100*(800+400)	700/175	8	440V	35
GIP-50	1100*1100*(800+400)	800/200	12	440V	50
GIP-75	1200*1200*(800+400)	900/225	30	440V	75
GIP-100	1200*1300*(800+400)	1000/250	12	440V	100

#### **Induction Flat Range**







- ·Multi stage power control by gear knob switch
- ·SS 304 water proof construction
- ·Glass top
- ·Available in various capacity
- ·60% more energy efficient compare with gas fuel.

Model No	Overall Dimensions LxWxH MM	Power in KW	Voltage	Capacity in Ltrs
GIR 75	700*700*(600+500)	8	440V	75
GIR 100	700*700*(600+500)	12	440V	100

#### **Induction Hot Plate**





- ·Multi stage power control by gear knob switch
- ·SS 304 water proof construction
- ·Available in various capacity
- ·60% more energy efficient compare with gas fuel.

Model No	Overall Dimensions LxWxH MM	Power in KW	Voltage	Capacity in Ltrs
GIGP-3	1050*800*800	12	440V	925*625*20
GIGP-4	1365*800*800	15	440V	1225*625*20
GIGP-5	1665*800*800	20	440V	1520*625*20

#### **Induction Rice Steamer**





Tray Steamer can be used for steaming rice, idly, vegetables, egg, meat momos etc., Efficacious performance ◆Full stainless-steel construction

- → Full stainless-steel construction
- ♦ Leak-proof and low water consumption. High-quality insulation
- + High-temperature resistance
   + Eco-friendy product with a 50% energy saver.
   + Makes cooking easier and enable less time consumption
   + Neat look and low space requires.

Available in various capacity

60% more energy efficient compare with gas fuel.

Model No	Overall Dimensions LxWxH MM	Power in KW	Voltage	Capacity in Ltrs
GIISSC-60I	520*535*675	3.5	220V	530*325*65
GISSC-06S	700*750*1250	8	440V	530*325*65
GISSC-12S	900*750*1850	12	440V	530*325*65
GISDC-24D	1000*750*1850	30	440V	530*325*65
GISTD-12T	910*750*1850	12	440V	530*325*65

#### **Induction Tilting Brat Pan**





- · Multi stage power control by gear knob switch
- · SS 304 water proof construction
- · Available in various capacity
- · 60% more energy efficient compare with gas fuel
- · Multiple Cooking Program

Model No	Overall Dimensions LxWxH MM	Power in KW	Voltage	Capacity in Ltrs
GITBP-100	1395*915*900	10	440V	100
GITBP-150	1550*915*900	15	440V	150
GITBP-200	1770*915*900	20	440V	200
GITBP-250	1770*915*900	30	440V	250

#### **Induction Cooking Mixer Machine**





Its used to cook all types of veg and non veg gravy. Easy to handle for bulk Quantity, proper stirrering or food will give good taste and consistency, Low production cost, Semi skilled labour enough, all type of cooking can be done.

Available in various capacity

60% more energy efficient compare with gas fuel Multiple Cooking Program

Model No	Overall Dimensions LxWxH MM	Power in KW	Voltage	Capacity in Ltrs
GICMM-100	49"x48"58"	10	440V	100
GICMM-200	69"x58"x68"	20	440V	200
GICMM-300	71"x62"x70"	30	440V	300
GICMM-400	75"x65"x70"	40	440V	400

#### **Induction Culino Combi Kettle**









Scan QR Code for **Product Video** 

Fully Automatic Chapathi Cooking Machine Many dishes can be cooked from start to the finish in one unit, without any food transfer. Mixing assists heat transfer and food is cooked faster and more evenly. Unique mixing features enable, for example, crushing of minced meat and mashing of potatoes for purees. USAGE: its used to cook rice, Mixed variety rice, Dhall, Soup, Smashed Potato, Pongal, Kitchadi, etc

·Available in various capacity

·60% more energy efficient compare with gas fuel.

Model No	Overall Dimensions LxWxH MM	Power in KW	Voltage	Capacity in Ltrs
GCCCK-100	60"x45"x53"	10	440V	100
GCCCK-200	65"x49"x57"	20	440V	200
GCCCK-300	70"x52"x60"	30	440V	300
GCCCK-400	77"x57"x67"	40	440V	400



Chapathi Ball Dropping **Automatic Machine** 







Cleaning Machine



Bone Saw Cutting Machine

0

Dining Table Available in 4,6,8 Seats





Freezer with Worktable







Steam Vessels

Dou

STEAM VESSELS







STEAM BOILER

Boiler

 Boiler Pressure capacities available are 30, 45, 60, 75 pounds
 Available fuel options are LPG, Electric, Diesel, Firewood

Available capacities are 10kg, 25kg, 30kg, 40kg, 50kg & up to 100kg Single Jacket Vessels Available capacitie

Available capacities are 60, 120, 180, 240 & 400 Idly/batch
 Idly Plant having individual burner it can cook idly

o Idly Plant

s are 75 litres to 500 litres

ble Jacket Vessels

IDLY BOX & IDLY PLANT

oldly Box

Available capacitie s are 75 litres to 500 litres











Three Burner

Chinese two way Burner

Tandoori Pot

Gas Shawarma













Work Table with Sink O Double Shelf Work Table

Pot Rack

Plate Rack

Storage Rack
Vegetable Bin











Triple Sink

Hand Wash Sink

Masala Trolley

Kitchen Utility Trolley

Waste Collection Trolley

#### **Our Partial Client List**



















































**X** pricol













































































## GLOBAL KITCHEN EQUIPMENTS COMPANY

for hi-tech commercial kitchens CONSULTING • DESIGNING • MANUFACTURING • SERVICE An ISO 9001:2015 Certified Company

252, 1<sup>st</sup> Street, Sivasakthi Colony, Ganapathy, Coimbatore - 641 006. Tamil Nadu.

Ph.: 0422 - 4279428, Mob.: 97861 00581, 97905 19506

Email: info@kitchenequipment.in

Website: www.globalkitchen.in www.globalkitchenindia.com